25

30

CLAIMS

- 1. A plug for thermoforming operations composed of a syntactic foam comprising:
- a thermoplastic resin having a melting point and/or Tg at least 5°C higher than the design operating temperature of said thermoforming operation, and a hollow filler having a lower density than said resin.
 - 2. The plug according to claim 1, wherein said thermoplastic resin has a melting point and/or Tg of greater than 180°C.
- 3. The plug according to claim 1, wherein said thermoplastic resin has a melting point/and or Tg of greater than 200°C.
- 20 4. The plug according to claim 1, wherein said thermoplastic resin comprises a polyamide, polycarbonate, polyurethane, polyester, polyacrylate, and/or copolymers and/or mixtures thereof.
 - 5. The plug according to claim 4, wherein said thermoplastic resin comprises a polyamide formed from a lactam monomer having at least 6 carbon atoms.
 - 6. The plug according to claim 5, wherein said thermoplastic resin comprises nylon 6, nylon 6.6 or mixtures thereof.

- The plug according to claim 1, wherein said 7. syntactic foam comprise less than 70 vol.% of said hollow filler.
- 5 8. The plug according to claim 1, wherein said hollow filler includes glass microspheres, hollow polymeric microspheres, hollow ceramic microspheres, microspheres of urea-formaldehyde resin and/or phenol-formaldehyde resin.

10

A process for forming the plug according to claim 9. 1, wherein said plug is formed in-situ from a mixture comprising said filler and a monomer which is polymerized in a mold that at least approximates the shape of the desired plug.

15

10. The process according to claim 9, wherein a lactam monomer is polymerized to polyamide.

20

The process according to claim 10, wherein said 11. in-situ polymerization to polyamide is assisted with an alkali earth metal and/or alkaline earth metal catalyst.

25

30

The process according to claim 11, wherein said 12. in-situ polymerization is assisted by an organic isocyanate, ketene, acid chloride, acid anhydride, or N-substituted imide polymerization promoter.

- 13. A process of thermoforming at least one article using the plug according to claims 1 or the plug prepared by the process of claims 9.
- 5 14. An article formed by the process of claim 13.